

webler

2025

B I K E R A C K S



Quality from Germany



Uebler stands for tradition and innovation "Made in Germany". The owner-managed company from the Franconian town of Forchheim develops and produces creative, yet practical solutions for bicycle transport - entirely in Germany with close ties to the region.


With qualified employees, value creation from development to production and assembly to sales takes place exclusively at the headquarters - in collaboration with reliable suppliers and partners from the region. This way, Uebler ensures that customers and trade partners receive technically outstanding products of the highest quality that rightly bear the quality seal "Made in Germany".

Tested many times

And it is not just the customers that Uebler impresses - the company has also won most neutral product tests since 2011.

The decisive factors for these excellent ratings are the standards set by Uebler when it comes to ease of use, technically up-to-date solutions, quality standards and, above all safety - always oriented to the needs of the customers.

test wins



Conviction across the board

Spacers for 1st and 2nd bicycle, lockable and removable

Ratchet system for optimum fixing of bike wheels of almost any type and size

Widened bike rails suitable for all popular tyre widths

Integrated handle for easy folding out/in of the bike rails and lights (not available for all models)

Pedal for comfortable folding of the carrier (not available for all models)

Quick-release lock for all standard towbars

Preset quick-release levers for easy and secure adjustment of the rack U-bar

Design lights with high radiant power



S-line

Spacer with clamps:



- 1 The spacer with clamps grips around standard frames. The spacers are easily mounted by pressing together the clamps with one hand.



- 2 Spacers with suitable length are available for every bicycle position.



- 3 The bicycles are fixed on the rack frames by the spacers.

Z-line

Spacer with toothed belt:



- 1 The spacer with toothed belt was developed for sheathing box-section frames. Press the red button, the spacer can then be mounted easily with only one hand.



- 2 Spacers with suitable length are available for every bicycle position.



- 3 The bicycles are fixed on the rack frames by the spacers.

Uebler offers two types of spacers for fixing different bicycle variants on Uebler bike racks. The spacer with clamps is suitable for all bicycle frames with a round tube up to 75 mm \varnothing or an oval tube up to 75x45 mm \varnothing . The spacer with toothed belt is used for bicycle frames with larger dimensions. The maximum frame sizes are then up to 115 mm \varnothing for a round tube, up to 120x80 mm for a rectangular tube and up to 95x95 mm for a square tube.

i-Series / i-Series DC

Innovation & Perfection

A successful symbiosis of intelligent, lightweight construction and perfect engineering: the revolutionary and patented IQ fastener allows safe, simple and lever-free attachment. Like the entire product range, the premium carriers of the i-series consistently epitomise safety, product quality and resilience. Since their market launch in 2017, they have already won 23 tests. The carrier series was not only awarded as one of the most lightweight, but also as one of the most user-friendly in its class. The best ratings by far were also achieved for the design.

The i31 Z and i41 S models set standards. With a very low self-weight, a particularly high payload is possible without additional securing to the vehicle.

"Made in Germany" – with a 3-year guarantee.

- Easy and labour-saving attachment to the towbar with leverless, patented IQ quick-release fastener
- Patented, removable spacers with single-hand operation
- New extra-wide wheel rails for tyre widths up to 4.5 inches
- Foldable wheel rail and lamp unit
- Ratchet system for securely attaching the wheels to the wheel rail
- Convenient release of the folding function with foot lever
- Quick-release lever for fixing the wide carrier frame
- Simultaneously locking anti-theft device
- Low unladen weight for high carrying comfort and large payloads

Distance Control (DC)



These innovative carrier systems with the integrated Distance Control (DC) parking aid at the highest Uebler standard combine all the advantages of the respective products with additional convenience when reversing and parking. Obstacles are detected unerringly and are indicated visually and acoustically.

The electronic parking aid is automatically activated when reverse gear is engaged and the distance warning system installed as standard in the vehicle is switched off. Separate wiring with the vehicle is not necessary. The reception display is simply plugged into the cigarette lighter or an on-board socket and is immediately ready for use.



SMALL FOLDING SIZE



EXTRA EASY ASSEMBLY



ASSEMBLY WITHOUT TOOLS



ANTI-THEFT DEVICE



SUITABLE FOR E-BIKES

Summary of all technical data of the i-Series - see page 16/17.




i21

Art.-No. 15900



- For 2 bikes
- Tilt down angle 60°
- Max. load capacity 60 kg
- Self-weight 13 kg
- 2 removable bike holders



i21-DC

Art.-No. 15900-DC

- With Distance Control




- Folded

i31

Art.-No. 15910



- For 3 bikes
- Tilt down angle 60°
- Max. load capacity 54 kg
- Self-weight 16 kg
- 3 removable bike holders



i31-DC

Art.-No. 15910-DC

- With Distance Control



- Folded

i-Series / i-Series DC

i21 Z60

Art.-No. 18190



- For 2 bikes
- Tilt down angle 60°
- Max. load capacity 60 kg
- Self-weight 13,5 kg
- 2 removable bike holders with toothed belt and carbon protection



i21 Z60-DC

Art.-No. 18190-DC

- With Distance Control




- Folded

i21 Z90

Art.-No. 18110



- For 2 bikes
- Tilt down angle 90°
- Max. load capacity 60 kg
- Self-weight 13,5 kg
- 2 removable bike holders with toothed belt and carbon protection



i21 Z90-DC

Art.-No. 18110-DC

- With Distance Control




- Folded

i31 Z

Art.-No. 18130



- For 3 bikes
- Tilt down angle 60°
- Max. load capacity 72 kg
- Self-weight 18 kg
- 3 removable bike holders with toothed belt and carbon protection



i31 Z-DC

Art.-No. 18130-DC

- With Distance Control




- Folded

i41 S

Art.-No. 18140



- For 4 bikes
- Tilt down angle 90°
- Max. load capacity 60 kg
- Self-weight 20 kg
- 4 removable bike holders



i41 S-DC

Art.-No. 18140-DC

- With Distance Control



- Folded

H-Series / H-Series DC

Wanderlust



For vehicles with hinged doors, Uebler offers an optimum solution for transporting bicycles: The H-series carriers - lightweight and vehicle-independent. The only requirement is a trailer coupling.

Thanks to their lightweight construction, the two H-series models - as usual with Uebler - are extremely easy to install and can be used flexibly for any vehicle with a standard trailer coupling. And they offer enough space for e-bikes of all types. A hinge-free, dirt-protected tilted mechanism ensures that both vehicle doors can be opened easily and that the inner rear area is easily accessible. The storage compartments of some motorhome variants can also be conveniently used. The bikes naturally remain on the carrier when it is tilted.

"Made in Germany" - with a 3-year guarantee.

- Effortless bicycle transport for vans with rear wing doors and vehicles with a low tailgate
- Easy and labour-saving attachment to the towbar with leverless, patented IQ quick-release fastener
- Removable spacers with one-handed operation
- New extra-wide wheel rails for tyre widths up to 4.5 inches
- Foldable wheel rail and light unit
- Ratchet system for securely fastening the wheels to the wheel rail
- Convenient release of the folding function with foot lever
- Quick-release lever for securing the wide carrier frame
- Keyed alike anti-theft device



SMALL FOLDING SIZE



EXTRA EASY ASSEMBLY



ASSEMBLY WITHOUT TOOLS



ANTI-THEFT DEVICE



SUITABLE FOR E-BIKES


Summary of all technical data of the H-Series - see page 16/17.

H21 Z

Art.-No. 18170



- For 2 bikes
- Tilt down angle 90°
- Max. load capacity 60 kg
- Self-weight 18 kg
- 2 removable bike holders with toothed belt and carbon protection



H21 Z-DC

Art.-No. 18170-DC

- With Distance Control




- Folded

H31 S

Art.-No. 18180



- For 3 bikes
- Tilt down angle 90°
- Max. load capacity 60 kg
- Self-weight 20 kg
- 3 removable bike holders



H31 S-DC

Art.-No. 18180-DC

- With Distance Control



- Folded

X-Series

Handling & Lightness

Since its launch in 2011, the X21 series has set clear standards with 26 product test wins/best ratings, which also applies to the latest wins/best rating generation. Apart from being lightweight and stable, these racks are characterised by the easiest possible handling and their unique folding concept. Ergonomically well thought-through, functional and easy to understand, and at the same time extremely stable and resistant.

"Made in Germany" - with a 3-year guarantee.

- Lightweight and compactly folding, enables easy handling and stowing away
- Patented quick-release lock with anti-theft device
- Bike rails easily folded using integrated handle
- Extremely convenient tilt mechanism using a large foot pedal
- Safe transport of all bicycle types and e-bikes
- Low self-weight for high carrying convenience and large load capacity
- Removable bike holders with one-hand operation and anti-theft device
- Preset quick-release levers for easy and secure fastening of the U-bar
- Ratchet system for secure fixing of the bike wheels, centred on the bike rail
- "Eli" design lights series, slidable sideways
- One key for all locks



SMALL
FOLDING SIZE



EXTRA EASY
ASSEMBLY



ASSEMBLY
WITHOUT TOOLS



ANTI-THEFT
DEVICE



SUITABLE
FOR E-BIKES


Summary of all technical data of the
X-Series - see page 16.

X21 S

Art.-No. 15760



- For 2 bikes
- Tilt down angle 60°
- Max. load capacity 60 kg
- Self-weight 14 kg
- 2 removable bike holders




- Folded

X31 S

Art.-No. 15770




- For 3 bikes
- Tilt down angle 60°
- Max. load capacity 54 kg
- Self-weight 16,5 kg
- 3 removable bike holders



- Folded

F-Series

Reduction & Ergonomics



The F-series is the highlight when it comes to individualism and easiness. Easily mounted – easily loaded – easily transported – easily dismantled. Individualists are in the right place here: With the bike rack for only one bicycle, Uebler offers one of the lightest and, when folded together, one of the most compact towbar bike racks on the market. Of course, the F-series also offers transport for 2 bikes. Ergonomic down to the smallest detail and mounted in seconds. The patented quick-release lock ensures safe and convenient transport. All racks are completely fold-away, however, they cannot be tilted down on the vehicle.

“Made in Germany” - with a 3-year guarantee.

- Lightweight and compactly folding, enables easy handling and stowing away
- Patented IQ fastener with anti-theft device
- Low self-weight for high carrying convenience
- Safe transport of all bike types and e-bikes
- Partly removable bike holders with one-hand operation and anti-theft device
- Removable spacers with one-hand operation and anti-theft device
- Ratchet system for secure fixing of the bike wheels, centred on the bike rail
- “Isi” design light series
- One key for all locks



SMALL FOLDING SIZE



EXTRA EASY ASSEMBLY



ASSEMBLY WITHOUT TOOLS



ANTI-THEFT DEVICE



SUITABLE FOR E-BIKES


Summary of all technical data of the F-Series - see page 17.

F14

Art.-No. 15940



- For 1 bike
- Max. load capacity 30 kg
- Self-weight 9,9 kg
- 1 removable bike holder




- Folded

F24

Art.-No. 15950



- For 2 bikes
- Max. load capacity 60 kg
- Self-weight 12 kg
- 2 removable bike holders



- Folded

P-Series

Flexibility through Extension

The P-series racks can be extended by one rail each if necessary and so can be flexibly adapted to your needs. And it goes without saying that they are also equipped with a patented quick-release lock and the well thought-through ergonomic principle of all Uebler bike racks.

These racks have convincing features such as innovative, removable bike holders for bikes, optimised quick-release fasteners and the modern, slidable light system.

"Made in Germany" - with a 3-year guarantee.

- Patented quick-release lock with anti-theft device
- Extremely convenient tilt mechanism using a large foot pedal
- Low self-weight for high carrying convenience and large load capacity
- Removable bike holders with one-hand operation and anti-theft device
- Preset quick-release levers for easy and secure fastening of the U-bar
- Ratchet system for optimum fixing of the bike wheels, centred on the bike rail
- One key for all locks

P22 S

Art.-No. 15800



- For 2 bikes
- Tilt down angle 90°
- Max. load capacity 60 kg
- Self-weight 14 kg
- 2 removable bike holders
- Extendable for 3rd bike

Extension kit for 3rd bike
Art.-No. 19710



P32 S

Art.-No. 15810



- For 3 bikes
- Tilt down angle 60°
- Max. load capacity 54 kg
- Self-weight 16 kg
- 3 removable bike holders
- Extendable for 4th bike

Extension kit for 4th bike
Art.-No. 19720



Summary of all technical data
of the P-Series - see page 17.

Rear box

NEW



B1

Art.-No. 25080

You need space for additional luggage? A secure storage for ski equipment, your SUP board or camping accessories? Even the stroller fits in our practical rear box, because it has a volume of 300 litres.

The rear box B1 fits on many Uebler bike racks, can be assembled conveniently in just a few seconds without any tools and is extremely light. It is also theft-proof, and the bike rack can also be tilted down including the rear box. More comfort during transport is hardly possible.

- With the two quick releases included in the scope of delivery, the rear box can be attached conveniently to the bike rack in just a few seconds. Just as quickly removed again.
- The rear box can be easily handled by one person due to its light weight.
- Two transport rollers make it easier to transport the rear box over longer distances.
- Two tensioning straps included in the scope of delivery enable secure fixing of the stowed goods for transport.
- All bike racks can always be tilted down when using the rear box.
- In Germany produced quality product with a 3-year warranty.

technical details	
Dimensions (W x H x D)	153 x 66 x 53 cm
Self-weight	13 kg
Volume	300 l
Maximum load capacity	max. 45 kg (support load - self - weight of the rear box = max. payload)
Suitable for the following bike racks	<ul style="list-style-type: none"> ● i-Series ● X-Series (from model year 2014) ● H-Series (H21 Z only in combination with accessories Art.-No.: 25180) ● For more bike racks, see on www.uebler.com
Special features	<ul style="list-style-type: none"> ● two transport rollers ● additional four eyebolts for optional luggage net



(included in delivery)

Accessories:

Luggage net for rear box
Art.-No: 25100



Distance holder for H21 Z
Art.-No: 25180



Overview towbar bike racks

i-Series / DC-Series

Technical details	i21 / i21-DC	i21 Z60 / i21 Z60-DC	i21 Z90 / i21 Z90-DC
Product number	15900 / 15900-DC	18190 / 18190-DC	18110 / 18110-DC
Number of bikes	2	2	2
Suitable for e-bikes	✓	✓	✓
Dimensions (W x H x D)	118 x 69 x 56 cm	119 x 72 x 64 cm	119 x 72 x 64 cm
Dimensions (W x H x D), folded up	61 x 20 x 60 cm	61 x 20,5 x 69 cm	61 x 20,5 x 69 cm
Weight	13 kg	13,5 kg	13,5 kg
Maximum load capacity (Important: Please note the D-value of your towbar!)	37 kg from SL 50 kg 60 kg from SL 75 kg	36,5 kg from SL 50 kg 60 kg from SL 73,5 kg	36,5 kg from SL 50 kg 60 kg from SL 73,5 kg
Maximum wheelbase of the bike	130 cm	130 cm	130 cm
Can be tilted down, even with bikes	60 degrees	60 degrees	90 degrees
Bike frame diameter	up to 75 mm round tube or 75 x 45 mm oval tube	up to 115 mm Ø for a round tube, 120x80 mm for a rectangular tube, 95x95 mm for a square tube	up to 115 mm Ø for a round tube, 120x80 mm for a rectangular tube, 95x95 mm for a square tube
Bike anti-theft device / lockable	✓	✓	✓
Rack anti-theft device / lockable	✓	✓	✓
Track spacing	220 mm	240 mm	240 mm
EuroBE / u.a. TÜV, DEKRA-certified	✓	✓	✓
Maximum allowable bike tyre width	2,8" (approx. 7 cm) 4,5" (approx. 11,5cm)	3" (approx. 7,5 cm) [4,5" (approx. 11,5 cm)]*	3" (approx. 7,5 cm) [4,5" (approx. 11,5 cm)]*
Quality product, made in Germany	✓	✓	✓
Special equipment	Lever-free mounting Removable bike holders	Lever-free mounting Removable bike holders with toothed belt	Lever-free mounting Removable bike holders with toothed belt
Compatible with rear box B1 (art. 25080)	✓	✓	✓

H-Series / DC-Series X-Series

Technical details	H31 S / H31 S-DC	X21 S	X31 S
Product number	18180 / 18180-DC	15760	15770
Number of bikes	3	2	3
Suitable for e-bikes	✓	✓	✓
Dimensions (W x H x D)	128 x 73 x 88 cm	119 x 77 x 64 cm	119 x 77 x 79 cm
Dimensions (W x H x D), folded up	83 x 21 x 85 cm	63 x 24 x 64 cm	63 x 24 x 79 cm
Weight	20 kg	14 kg	16,5 kg
Maximum load capacity (Important: Please note the D-value of your towbar!)	55 kg from SL 75 kg 60 kg from SL 80 kg Ball neck diameter min Ø 28,5 mm	36 kg from SL 50 kg 60 kg from SL 75 kg	33,5 kg from SL 50 kg 54 kg from SL 75 kg
Maximum wheelbase of the bike	130 cm	130 cm	130 cm
Can be tilted down, even with bikes	90 degrees	60 degrees	60 degrees
Bike frame diameter	up to 75 mm round tube or 75 x 45 mm oval tube	up to 75 mm round tube or 75 x 45 mm oval tube	up to 75 mm round tube or 75 x 45 mm oval tube
Bike anti-theft device / lockable	✓	✓	✓
Rack anti-theft device / lockable	✓	✓	✓
Track spacing	190 / 180 mm	220 mm	190 / 180 mm
EuroBE / u.a. TÜV, DEKRA-certified	✓	✓	✓
Maximum allowable bike tyre width	3" (approx. 7,5 cm) [4,5" (approx. 11,5 cm)]*	2,8" (approx. 7cm) [4,5" (approx. 11,5 cm)]*	2,8" (approx. 7cm) [4,5" (approx. 11,5 cm)]*
Quality product, made in Germany	✓	✓	✓
Special equipment	Lever-free mounting Removable bike holders	Removable bike holders	Removable bike holders
Compatible with rear box B1 (art. 25080)	✓	✓	✓

[]* With toothed belt kit for fatbikes.

A 3-year guarantee applies to all products!

i-Series / DC-Series

H-Series / DC-Series

i31 / i31-DC	i31 Z / i31 Z-DC	i41 S / i41 S-DC	H21 Z / H21 Z-DC
15910 / 15910-DC	18130 / 18130-DC	18140 / 18140-DC	18170 / 18170-DC
3	3	4	2
✓	✓	✓	✓
118 x 84 x 71 cm	119 x 89 x 78 cm	119 x 73 x 91 cm	128 x 73 x 88 cm
61 x 21 x 76 cm	61 x 22 x 82 cm	61 x 23 x 91 cm	83 x 21 x 85 cm
16 kg	18 kg	20 kg	18 kg
34 kg from SL 50 kg 54 kg from SL 75 kg	57 kg from SL 75 kg 72 kg from SL 90 kg Ball neck diameter min Ø 28,5 mm	55 kg from SL 75 kg 60 kg from SL 80 kg Ball neck diameter min Ø 28,5 mm	57 kg from SL 75 kg 60 kg from SL 78 kg Ball neck diameter min Ø 28,5 mm
130 cm	130 cm	130 cm	130 cm
60 degrees	60 degrees	90 degrees	90 degrees
up to 75 mm round tube or 75 x 45 mm oval tube	up to 115 mm Ø for a round tube, 120x80 mm for a rectangular tube, 95x95 mm for a square tube	up to 75 mm round tube or 75 x 45 mm oval tube	up to 115 mm Ø for a round tube, 120x80 mm for a rectangular tube, 95x95 mm for a square tube
✓	✓	✓	✓
✓	✓	✓	✓
190 / 180 mm	220 / 200 mm	190 / 180 / 180 mm	240 mm
✓	✓	✓	✓
2,8" (approx. 7 cm) 4,5" (approx. 11,5cm)	3" (approx. 7,5 cm) [4,5" (approx. 11,5 cm)]*	3" (approx. 7,5 cm) [4,5" (approx. 11,5 cm)]*	3" (approx. 7,5 cm) [4,5" (approx. 11,5 cm)]*
✓	✓	✓	✓
Lever-free mounting Removable bike holders	Lever-free mounting Removable bike holders with toothed belt	Lever-free mounting Removable bike holders	Lever-free mounting Removable bike holders with toothed belt
✓	✓	✓	only in combination with accessory art. 25180

F-Series

P-Series

F14	F24	P22 S	P32 S
15940	15950	15800	15810
1	2	2, extendable for 3rd (Art.-No. 19710)	3, extendable for 4th (Art.-No. 19720)
✓	✓	✓	✓
118 x 57 x 38 cm	118 x 67 x 56 cm	115 x 77 x 65 cm	115 x 77 x 79 cm
61 x 20 x 50 cm	61 x 20 x 60 cm	—	—
9,9 kg	12 kg	14 kg (15 kg with extension)	16 kg (16.5 kg with extension)
30 kg from SL 50 kg 30 kg from SL 75 kg	38 kg from SL 50 kg 60 kg from SL 75 kg	35 kg from SL 50 kg 60 kg from SL 75 kg	34 kg from SL 50 kg 54 kg from SL 75 kg
130 cm	130 cm	125 cm	125 cm
—	—	yes / 90 degrees	yes / 60 degrees
up to 75 mm round tube or 75 x 45 mm oval tube	up to 75 mm round tube or 75 x 45 mm oval tube	up to 75 mm round tube or 75 x 45 mm oval tube	up to 75 mm round tube or 75 x 45 mm oval tube
✓	✓	✓	✓
✓	✓	✓	✓
—	220 mm	220 / 180 mm (2nd to 3rd bike)	190 / 180 mm (3rd to 4th bike)
✓	✓	✓	✓
2,8" (approx. 7 cm) 4,5" (approx. 11,5cm)	2,8" (approx. 7 cm) 4,5" (approx. 11,5cm)	2,8" (approx. 7cm) [4,5" (approx. 11,5 cm)]*	2,8" (approx. 7cm) [4,5" (approx. 11,5 cm)]*
✓	✓	✓	✓
Lever-free mounting Removable bike holders	Lever-free mounting Removable bike holders	Removable bike holders extendable for 3rd bike	Removable bike holders extendable for 4th bike
—	—	—	—

Subject to change due to technical development.

Accessories



● Transport bag /i-Series

for Uebler towbar bike rack

i21 **Item No. 19840**

i21-Z **Item No. 25020**

i31 **Item No. 19850**

i31-Z **Item No. 25030**



● Extension kit for 4th bike

for Uebler towbar bike rack P32 S

Item No. 19720



● Transport bag /i-Series

for Uebler towbar bike rack

i41-S **Item No. 25040**



● Loading ramp

for Uebler towbar bike rack of series P, F, X; foldable; including bag

Item No. 19940



● Transport bag /X-Series

for Uebler towbar bike rack

X21 S **Item No. 19670**

X31 S **Item No. 19680**



● Drive-on and drive-over ramp (foldable)

for Uebler towbar bike rack of series i, F, H foldable; including bag

Item No. 19950



● Transport bag /F-Series

for Uebler towbar bike rack

F14 **Item No. 25060**

F24 **Item No. 19840**

F34 **Item No. 19850**



● Bike holder for 1st bike

removable; lockable; for bike frames up to 75 mm round tube or 75 x 45 mm oval tube

Item No. 19880



● Transport bag /H-Series

for Uebler towbar bike rack

H21 Z **Item No. 25150**

H31 S **Item No. 25150**



● Bike holder for 1st bike, longer version

removable; lockable; for bike frames up to 75 mm round tube or 75 x 45 mm oval tube

Item No. 19930



● Extension kit for 3rd bike

for Uebler towbar bike rack P22 S

Item No. 19710



● Bike holder for 2nd bike (for 2-bike rack)

removable; lockable; for bike frames up to 75 mm round tube or 75 x 45 mm oval tube

Item No. 19890



● **Bike holder for 2nd bike**
(for 3-bike rack)

removable; lockable;
for bike frames up to 75 mm
round tube or 75 x 45 mm oval tube

Item No. 19900



● **Bike holder with toothed
belt for 1st bike H21 Z**

removable; lockable; with carbon
protection; for all bike frames
(including boxsection frames)
up to 120x80 mm

Item No. 25160



● **Bike holder 3rd/4th bike**
(from bike to bike)

lockable; for bike frames up to
75 mm round tube or 75 x 45 mm
oval tube

Item No. 19910



● **Bike holder with toothed
belt for 2nd bike H21 Z**

removable; lockable; with carbon
protection; for all bike frames
(including box-section frames)
up to 120x80 mm

Item No. 25170



● **Bike holder with toothed
belt for 1st bike**

removable; lockable; with carbon
protection; for all bike frames
(including boxsection frames)
up to 120x80 mm

Item No. 19960



● **Padding
(carbon protection)**

for toothed belts;
(1 set = 4 pieces)

Item No. 25050



● **Bike holder with toothed
belt for 2nd bike**
(for 2-bike rack)

removable; lockable; with carbon
protection; for all bike frames
(including box-section frames)
up to 120x80 mm

Item No. 19970



● **Toothed belt conversion
kit for fatbikes**

Length 46 cm; up to 4.5" tyre
width; (1 set = 4 pieces)

for the series X, P
Item No. 19870

for the series i, F, H
Item No. 25010



● **Bike holder with toothed
belt for 2nd bike**
(for 3-bike rack)

removable; lockable; with carbon
protection; for all bike frames
(including box-section frames)
up to 120x80 mm

Item No. 19980



● **Tension belts**

universals; length 60 cm;
(1 set = 2 pieces)

Item No. 1606



● **Bike holder with toothed
belt for 3rd/4th Bike**
(from bike to bike)

lockable; with carbon protection;
for all bike frames (including box-
section frames) up to 120x80 mm

Item No. 19990

uebler

B I K E R A C K S



www.uebler.com

Uebler GmbH

Daimlerstraße 22
91301 Forchheim
Germany

Telefon: +49 (0) 9191 7362-0

info@uebler.com
www.uebler.com

Subject to change due to technical development.

Issued by:

Authorised Uebler dealer