

# ***webler***

2026/27

B I K E R A C K S



# Quality from Germany



Uebler stands for tradition and innovation "Made in Germany". The owner-managed company from the Franconian town of Forchheim develops and produces creative, yet practical solutions for bicycle transport - entirely in Germany with close ties to the region.

With qualified employees, value creation from development to production and assembly to sales takes place exclusively at the headquarters - in collaboration with reliable suppliers and partners from the region. This way, Uebler ensures that customers and trade partners receive technically outstanding products of the highest quality that rightly bear the quality seal "Made in Germany".

# Tested many times

And it is not just the customers that Uebler impresses - the company has also won most neutral product tests since 2011.

The decisive factors for these excellent ratings are the standards set by Uebler when it comes to ease of use, technically up-to-date solutions, quality standards and, above all safety - always oriented to the needs of the customers.

test wins



# Distance Control (DC)

These innovative carrier systems with the integrated Distance Control (DC) parking aid at the highest Uebler standard combine all the advantages of the respective products with additional convenience when reversing and parking. Obstacles are detected unerringly and are indicated visually and acoustically.


The electronic parking aid is automatically activated when reverse gear is engaged and the distance warning system installed as standard in the vehicle is switched off. Separate wiring with the vehicle is not necessary. The reception display is simply plugged into the cigarette lighter or an on-board socket and is immediately ready for use.



## Simple mounting of the towbar bike racks

Uebler towbar bike racks are available, depending on the model, with two different patented quick-release lock systems. The traditional quick-release lever lock or the modern IQ fastener. Both variants enable easy and uncomplicated fixing of the towbar bike rack on the towbar coupling. Above all, the IQ fastener enables all customers to fix the towbar bike rack on the vehicle conveniently, without exerting any force. Try it out for yourself at your local trading partner, you will be impressed! Both quick-release locks systems are suitable for all standard car towbar systems. **IMPORTANT: Always note the support load of the towbar!**

### Quick-release lever lock:



1. Open the lever.
2. Push the towbar bike rack horizontally onto the towbar.
3. Press the clamping lever down until it engages.

### IQ fastener:



1. Open the IQ fastener.
2. Hold the towbar bike rack vertically and then push it horizontally onto the towbar.
3. Fold down the towbar bike rack, until it latches into position with a "click" sound.

Uebler offers two types of spacers for fixing different bicycle variants on Uebler bike racks.

### S-line

Spacer with clamps:



The spacer with clamps grips around standard frames. The spacers are easily mounted by pressing together the clamps with one hand. The spacer with clamps is suitable for all bicycle frames with a round tube up to 75 mm  $\varnothing$  or an oval tube up to 75x45 mm  $\varnothing$ .

### Z-line

Spacer with toothed belt:




The spacer with toothed belt was developed for sheathing box-section frames. Press the red button, the spacer can then be mounted easily with only one hand. The maximum frame sizes are then up to 115 mm  $\varnothing$  for a round tube, up to 120x80 mm (with kit 120x90 mm) for a rectangular tube and up to 95x95 mm for a square tube.

# i-Series / i-Series DC

## Innovation & Perfektion

- Easy and labour-saving attachment to the towbar with leverless, patented IQ quick-release fastener
- Patented, removable spacers with single-hand operation
- New extra-wide wheel rails for tyre widths up to 4.5 inches
- Foldable wheel rail and lamp unit
- Ratchet system for securely attaching the wheels to the wheel rail
- Convenient release of the folding function with foot lever
- Quick-release lever for fixing the wide carrier frame
- Keyed-alike theft protection
- Low unladen weight for high carrying comfort and large payloads



SMALL FOLDING SIZE



ASSEMBLY WITHOUT TOOLS



LOCK-ABLE



SUITABLE FOR E-BIKES


Summary of all technical data of the i-Series - see page 14/15.

### i21 S

Art.-No. 18100



- For 2 bikes
- Tilt down angle 60°
- Max. load capacity 60 kg
- Self-weight 13,5 kg
- 2 removable bike holders with clamps
- Widened bicycle rails
- For bicycle frames up to  $\varnothing$  75 mm



2x



60°



2x Spacer with clamps

### i21 S-DC

Art.-No. 18100-DC

- With Distance Control



- Folded

## i21 Z60

Art.-No. 18190



- For 2 bikes
- Tilt down angle 60°
- Max. load capacity 60 kg
- Self-weight 13,5 kg
- 2 removable bike holders with toothed belt and carbon protection
- For bike frames up to 120x80 mm



2x



60°



2x  
Spacer with  
toothed belt

## i21 Z60-DC

Art.-No. 18190-DC

- With Distance Control



- Folded



## i21 Z90


Art.-No. 18110



- For 2 bikes
- Tilt down angle 90°
- Max. load capacity 60 kg
- Self-weight 13,5 kg
- 2 removable bike holders with toothed belt and carbon protection
- For bike frames up to 120x80 mm



2x



90°



2x  
Spacer with  
toothed belt

## i21 Z90-DC

Art.-No. 18110-DC

- With Distance Control



- Folded


# i-Serie / i-Serie DC

## i31 Z

Art.-No. 18130



- For 3 bikes
- Tilt down angle 60°
- Max. load capacity 72 kg
- Self-weight 18 kg
- 3 removable bike holders with toothed belt and carbon protection
- For bike frames up to 120x80 mm



- Folded


## i31 Z-DC

Art.-No. 18130-DC

- With Distance Control



- For 4 bikes
- Tilt down angle 90°
- Max. load capacity 60 kg
- Self-weight 20 kg
- 4 removable bike holders with clamps
- For bicycle frames up to  $\varnothing$  75 mm



- Folded

## i41 S

Art.-No. 18140



## i41 S-DC


Art.-No. 18140-DC

- With Distance Control



## Handling & Lightness

- Lightweight and compactly folding, enables easy handling and stowing away
- Patented quick-release lock with anti-theft device
- Bike rails easily folded using integrated handle
- Extremely convenient tilt mechanism using a large foot pedal
- Low self-weight for high carrying convenience and large load capacity
- Removable bike holders with one-hand operation and anti-theft device
- Preset quick-release levers for easy and secure fastening of the U-bar
- Ratchet system for secure fixing of the bike wheels, centred on the bike rail
- Keyed-alike theft protection



SMALL  
FOLDING SIZE



ASSEMBLY  
WITHOUT TOOLS



LOCK-  
ABLE



SUITABLE  
FOR E-BIKES

Summary of all technical data of the X-Series - see page 15.

## X21 S

Art.-No. 15760



- For 2 bikes
- Tilt down angle 60°
- Max. load capacity 60 kg
- Self-weight 14 kg
- 2 removable bike holders with clamps
- For bicycle frames up to  $\varnothing$  75 mm



2x



60°



2x  
Spacer with  
clamps



- Folded

# H-Serie / H-Serie DC

## Wanderlust



For vehicles with hinged doors, Uebler offers an optimum solution for transporting bicycles: The H-series carriers - lightweight and vehicle-independent. The only requirement is a trailer coupling.

Thanks to their lightweight construction, the two H-series models - as usual with Uebler - are extremely easy to install and can be used flexibly for any vehicle with a standard trailer coupling. And they offer enough space for e-bikes of all types. A robust, dirt-resistant folding mechanism ensures that both vehicle doors can be opened without difficulty and that the inner rear area is easily accessible. The storage compartments of some motorhome variants can also be conveniently used. The bikes naturally remain on the carrier when it is tilted.

- Effortless bicycle transport for vans with rear wing doors and vehicles with a low tailgate
- Easy and labour-saving attachment to the towbar with leverless, patented IQ quick-release fastener
- Removable spacers with one-handed operation
- New extra-wide wheel rails for tyre widths up to 4.5 inches
- Foldable wheel rail and light unit
- Ratchet system for securely fastening the wheels to the wheel rail
- Convenient release of the folding function with foot lever
- Quick-release lever for securing the wide carrier frame
- Keyed-alike theft protection
- Suitable for vehicles with wing doors or low tailgates

Summary of all technical data of the H-Series - see page 14.



SMALL FOLDING SIZE



ASSEMBLY WITHOUT TOOLS




LOCKABLE



SUITABLE FOR E-BIKES

### Please note!

This bicycle carrier must not be used with towbars whose width beneath the towball exceeds 50 mm (e.g. due to side pins). This restriction applies only to the area up to 77 mm below the centre of the towball.




## H21 Z

Art.-No. 18170



- For 2 bikes
- Tilt down angle 90°
- Max. load capacity 60 kg
- Self-weight 18 kg
- 2 removable bike holders with toothed belt and carbon protection
- For bike frames up to 120x80 mm



## H21 Z-DC

Art.-No. 18170-DC

- With Distance Control




- Folded

## H31 S

Art.-No. 18180



- For 3 bikes
- Tilt down angle 90°
- Max. load capacity 60 kg
- Self-weight 20 kg
- 3 removable bike holders
- For bicycle frames up to ø 75 mm



## H31 S-DC

Art.-No. 18180-DC

- With Distance Control



- Folded

# F-Serie

## Reduction & Ergonomics


- Lightweight and compactly folding, enables easy handling and stowing away
- Patented IQ fastener with anti-theft device
- Low self-weight for high carrying convenience
- Partly removable bike holders with one-hand operation and anti-theft device
- Keyed-alike theft protection



Summary of all technical data of the F-Series - see page 15.



ASSEMBLY  
WITHOUT TOOLS



LOCK-  
ABLE



SUITABLE FOR  
E-BIKES

### F14

Art.-No. 15940



- For 1 bike
- Max. load capacity 30 kg
- Self-weight 9,9 kg
- 1 removable bike holder with clamps
- For bicycle frames up to  $\varnothing$  75 mm



1x



not  
foldable



1x  
Spacer with  
clamps



● Folded

### F24

Art.-No. 15950



- For 2 bikes
- Max. load capacity 60 kg
- Self-weight 12 kg
- 2 removable bike holders with clamps
- For bicycle frames up to  $\varnothing$  75 mm



2x



not  
foldable



2x  
Spacer with  
clamps



● Folded

# Rear box



## B1

high gloss Art.-No. 25080  
matt Art.-No. 25081

You need space for additional luggage? A secure storage for ski equipment, your SUP board or camping accessories? Even the stroller fits in our practical rear box, because it has a volume of 300 litres.

The rear box B1 fits on many Uebler bike racks, can be assembled conveniently in just a few seconds without any tools and is extremely light. It is also theft-proof, and the bike rack can also be tilted down including the rear box. More comfort during transport is hardly possible.

- With the two quick releases included in the scope of delivery, the rear box can be attached conveniently to the bike rack in just a few seconds. Just as quickly removed again.
- The rear box can be easily handled by one person due to its light weight.
- Two transport wheels make it easier to transport the rear box over longer distances.
- Two tensioning straps included in the scope of delivery enable secure fixing of the stowed goods for transport.
- All bike racks can always be tilted down when using the rear box.
- In Germany produced quality product with a 3-year warranty.

technical details	
Dimensions (W x H x D)	153 x 66 x 53 cm
Self-weight	13 kg
Volume	300 l
Maximum load capacity	max 45 kg (support load- self-weight of the bike rack - self-weight of the rear box = max. payload)
Suitable for the following bike racks	<ul style="list-style-type: none"> <li>● i-Series</li> <li>● X-Series (from model year 2014)</li> <li>● H-Series</li> </ul> (H21 Z only in combination with accessories Art.-No.: 25180) <ul style="list-style-type: none"> <li>● For more bike racks, see on <a href="http://www.uebler.com">www.uebler.com</a></li> </ul>
Special features	<ul style="list-style-type: none"> <li>● two transport wheels</li> <li>● additional four eyebolts for optional luggage net</li> </ul>

# Accessories



## ● Transport bag /i-Series

for Uebler towbar bike rack

i21 S **Art.-No. 25020**

i21 Z **Art.-No. 25020**

i31 Z **Art.-No. 25030**

i41 S **Art.-No. 25040**



## ● Bike holder for 1st bike

removable; lockable;  
for bike frames up to 75 mm  
round tube or 75 x 45 mm oval tube

**Art.-No. 19880**



## ● Transport bag /X-Series

for Uebler towbar bike rack

X21 S **Art.-No. 19670**



## ● Bike holder for 1st bike, longer version

removable; lockable;  
for bike frames up to 75 mm  
round tube or 75 x 45 mm oval tube

**Art.-No. 19930**



## ● Transport bag /F-Series

for Uebler towbar bike rack

F14 **Art.-No. 25060**

F24 **Art.-No. 19840**



## ● Bike holder for 2nd bike (for 2-bike rack)

removable; lockable;  
for bike frames up to 75 mm  
round tube or 75 x 45 mm oval tube

**Art.-No. 19890**



## ● Transport bag /H-Series

for Uebler towbar bike rack

H21 Z **Art.-No. 25150**

H31 S **Art.-No. 25150**



## ● Bike holder for 2nd bike (for 3-bike rack)

removable; lockable;  
for bike frames up to 75 mm  
round tube or 75 x 45 mm oval tube

**Art.-No. 19900**



## ● Auffahrschiene

for Uebler towbar bike rack of  
series P, F, X; foldable;  
including bag

**Art.-No. 19940**



## ● Bike holder 3rd/4th bike (from bike to bike)

lockable; for bike frames up to  
75 mm round tube or 75 x 45 mm  
oval tube

**Art.-No. 19910**



## ● Drive-on and drive-over ramp (foldable)

for Uebler towbar bike rack of  
series i, F, H foldable;  
including bag

**Art.-No. 19950**



## ● Bike holder with toothed belt for 1st bike

removable; lockable; with carbon  
protection; for all bike frames  
(including box-section frames)  
up to 120x80 mm

**Art.-No. 19960**



● **Bike holder with toothed belt for 2nd bike**  
(for 2-bike rack)

removable; lockable; with carbon protection; for all bike frames (including box-section frames) up to 120x80 mm

**Art.-No. 19970**



● **Toothed belt conversion kit for fatbikes**

Length 46 cm; up to 4.5" tyre width; (1 set = 4 pieces)

for the series X, P  
**Item No. 19870**

for the series i, F, H  
**Item No. 25010**



● **Bike holder with toothed belt for 2nd bike**  
(for 3-bike rack)

removable; lockable; with carbon protection; for all bike frames (including box-section frames) up to 120x80 mm

**Art.-No. 19980**



● **Padding (carbon protection)**

for toothed belts; (1 set = 4 pieces)

**Art.-No. 25050**



● **Bike holder with toothed belt for 3rd/4th Bike**  
(from bike to bike)

lockable; with carbon protection; for all bike frames (including box-section frames) up to 120x80 mm

**Art.-No. 19990**



● **Tension belts**

universals; length 60 cm; (1 set = 2 pieces)


**Art.-No. 1606**



● **Bike holder with toothed belt for 1st bike H21 Z**

removable; lockable; with carbon protection; for all bike frames (including box-section frames) up to 120x80 mm

**Art.-No. 25160**



● **Luggage net for rear box**

**Art.-No. 25100**



● **Bike holder with toothed belt for 2nd bike H21 Z**

removable; lockable; with carbon protection; for all bike frames (including box-section frames) up to 120x80 mm

**Art.-No. 25170**



● **Rear box cover**

**Art.-No. 25220**



● **Extra-long toothed-belt set for toothed-belt spacers**

length 45 cm; for all bicycle frames (including box-section frames) up to 120 x 90 mm

(1 set = 2 pieces)

**Art.-No. 25200**



● **Rear box spacer required only for H21 Z**

**Art.-No. 25180**

# Overview towbar bike racks

## i-Series / DC-Series

Technical details	i21 S / i21S-DC	i21 Z60 / i21 Z60-DC
Product number	18100 / 18100-DC	18190 / 18190-DC
Number of bikes	2	2
Suitable for e-bikes	✓	✓
Dimensions (W x H x D)	119 x 72 x 58 cm	119 x 72 x 64 cm
Dimensions (W x H x D), folded up	61 x 20 x 65 cm	61 x 20,5 x 69 cm
Weight	13,5 kg	13,5 kg
Maximum load capacity (30 kg per pair of rails) (Important: Please note the D-value of your towbar!)	36,5 kg ab SL 50 kg 60 kg ab SL 73,5 kg	36,5 kg from SL 50 kg 60 kg from SL 73,5 kg
Maximum wheelbase of the bike	130 cm	130 cm
Can be tilted down, even with bikes	60 degrees	60 degrees
Bike frame diameter	up to 75 mm round tube or 75 x 45 mm oval tube	up to 115 mm Ø for a round tube, 120x80 mm for a rectangular tube, 95x95 mm for a square tube
Bike anti-theft device / lockable	✓	✓
Rack anti-theft device / lockable	✓	✓
Track spacing	220 mm	240 mm
EuroBE / u.a. TÜV, DEKRA-certified	✓	✓
Maximum allowable bike tyre width	3" (approx. 7,5 cm) [4,5" (approx. 11,5 cm)]*	3" (approx. 7,5 cm) [4,5" (approx. 11,5 cm)]*
Quality product, made in Germany	✓	✓
Special equipment	Lever-free mounting Removable bike holders	Lever-free mounting Removable bike holders with toothed belt
Comptatible with rear box B1 (art. 25080)	✓	✓

## H-Series / DC-Series

Technical details	H21 Z / H21 Z-DC	H31 S / H31 S-DC
Product number	18170 / 18170-DC	18180 / 18180-DC
Number of bikes	2	3
Suitable for e-bikes	✓	✓
Dimensions (W x H x D)	128 x 73 x 88 cm	128 x 73 x 88 cm
Dimensions (W x H x D), folded up	83 x 21 x 85 cm	83 x 21 x 85 cm
Weight	18 kg	20 kg
Maximum load capacity (30 kg per pair of rails) (Important: Please note the D-value of your towbar!)	57 kg from SL 75 kg 60 kg from SL 78 kg Ball neck diameter min Ø 28,5 mm	55 kg from SL 75 kg 60 kg from SL 80 kg Ball neck diameter min Ø 28,5 mm
Maximum wheelbase of the bike	130 cm	130 cm
Can be tilted down, even with bikes	90 degrees	90 degrees
Bike frame diameter	up to 115 mm Ø for a round tube, 120x80 mm for a rectangular tube, 95x95 mm for a square tube	up to 75 mm round tube or 75 x 45 mm oval tube
Bike anti-theft device / lockable	✓	✓
Rack anti-theft device / lockable	✓	✓
Track spacing	240 mm	190 / 180 mm
EuroBE / u.a. TÜV, DEKRA-certified	✓	✓
Maximum allowable bike tyre width	3" (approx. 7,5 cm) [4,5" (approx. 11,5 cm)]*	3" (approx. 7,5 cm) [4,5" (approx. 11,5 cm)]*
Quality product, made in Germany	✓	✓
Special equipment	Lever-free mounting Removable bike holders with toothed belt	Lever-free mounting Removable bike holders
Comptatible with rear box B1 (art. 25080)	only in combination with accessory Art.-No: 25180	✓

[ ]\* With toothed belt kit for fatbikes.

A 3-year guarantee applies to all products!

**i-Series / DC-Series**

<b>i21 Z90 / i21 Z90-DC</b>	<b>i31 Z / i31 Z-DC</b>	<b>i41 S / i41 S-DC</b>
18110 / 18110-DC	18130 / 18130-DC	18140 / 18140-DC
2	3	4
✓	✓	✓
119 x 72 x 64 cm	119 x 89 x 78 cm	119 x 73 x 91 cm
61 x 20,5 x 69 cm	61 x 22 x 82 cm	61 x 23 x 91 cm
13,5 kg	18 kg	20 kg
36,5 kg from SL 50 kg 60 kg from SL 73,5 kg	57 kg from SL 75 kg 72 kg from SL 90 kg Ball neck diameter min Ø 28,5 mm	55 kg from SL 75 kg 60 kg from SL 80 kg Ball neck diameter min Ø 28,5 mm
130 cm	130 cm	130 cm
90 degrees	60 degrees	90 degrees
up to 115 mm Ø for a round tube, 120x80 mm for a rectangular tube, 95x95 mm for a square tube	up to 115 mm Ø for a round tube, 120x80 mm for a rectangular tube, 95x95 mm for a square tube	up to 75 mm round tube or 75 x 45 mm oval tube
✓	✓	✓
✓	✓	✓
240 mm	220 / 200 mm	190 / 180 / 180 mm
✓	✓	✓
3" (approx. 7,5 cm) [4,5" (approx. 11,5 cm)]*	3" (approx. 7,5 cm) [4,5" (approx. 11,5 cm)]*	3" (approx. 7,5 cm) [4,5" (approx. 11,5 cm)]*
✓	✓	✓
Lever-free mounting Removable bike holders with toothed belt	Lever-free mounting Removable bike holders with toothed belt	Lever-free mounting Removable bike holders
✓	✓	✓

**X-Series**

**F-Series**

<b>X21 S</b>	<b>F14</b>	<b>F24</b>
15760	15940	15950
2	1	2
✓	✓	✓
119 x 77 x 64 cm	118 x 57 x 38 cm	118 x 67 x 56 cm
63 x 24 x 64 cm	61 x 20 x 50 cm	61 x 20 x 60 cm
14 kg	9,9 kg	12 kg
36 kg from SL 50 kg 60 kg from SL 75 kg	30 kg from SL 50 kg 30 kg from SL 75 kg	38 kg from SL 50 kg 60 kg from SL 75 kg
130 cm	130 cm	130 cm
60 degrees	—	—
up to 75 mm round tube or 75 x 45 mm oval tube	up to 75 mm round tube or 75 x 45 mm oval tube	up to 75 mm round tube or 75 x 45 mm oval tube
✓	✓	✓
✓	✓	✓
220 mm	—	220 mm
✓	✓	✓
2,8" (approx. 7cm) [4,5" (approx. 11,5 cm)]*	2,8" (approx. 7 cm) 4,5" (approx. 11,5cm)	2,8" (approx. 7 cm) 4,5" (approx. 11,5cm)
✓	✓	✓
Removable bike holders	Lever-free mounting Removable bike holders	Lever-free mounting Removable bike holders
✓	—	—

Subject to change due to technical development.

# uebler

B I K E R A C K S

---



[www.uebler.com](http://www.uebler.com)



## Uebler GmbH

Daimlerstraße 22  
91301 Forchheim  
Germany

Telefon: +49 (0) 9191 7362-0

[info@uebler.com](mailto:info@uebler.com)  
[www.uebler.com](http://www.uebler.com)

Subject to change due to technical development.

Issued by:

Authorised Uebler dealer